








Spicket River Urban Waters – Water Quality Data July 2013

July 13, 2013					
Parameter					
Site	Temperature (°C)	Dissolved Oxygen (mg/L)	Conductivity (µS/cm)	pH	Total Dissolved Solids (g/L)
Manchester Street Park	18.79	8.21	0.274	7.40	0.178
Central Catholic	19.02	8.79	0.270	7.11	0.176
Hayden-Schofield Park	19.02	8.54	0.270	7.15	0.176
Nina Scarito Park	19.01	8.45	0.270	7.10	0.176
Misserville Park	18.99	8.39	0.273	7.17	0.178
Ferrous Site	19.19	8.41	0.226	7.27	0.147
DUPLICATE: Nina Scarito Park	19.04	8.66	0.201	7.15	0.129









Nutrient (Nitrates, Total Phosphorus, and Orthophosphates) & Turbidity Data

July 13, 2013				
Parameter				
Site	Nitrates (NO3)	Total Phosphorus	Orthophosphates	Turbidity
Manchester Street Park	0.3	0.18	None Detected	3
Central Catholic	0.3	0.2	None Detected	4
Hayden-Schofield Park	0.21	0.18	None Detected	4
Nina Scarito Park	0.21	0.15	None Detected	4
Misserville Park	0.14	0.16	None Detected	4
Ferrous Site	0.11	0.2	None Detected	3
DUPLICATE: Nina Scarito Park	0.23	0.18	None Detected	4


Nitrates (NO3)



Total Phosphorus



Turbidity



E. coli Data, by Station July 2013

